
Product family datasheet

VIALOX NAV-T

High-pressure sodium vapor lamps for open and enclosed luminaires



Areas of application

- Streets
- Outdoor lighting
- Industrial installations
- Suitable for use in open and enclosed luminaires
- Outdoor applications only in suitable luminaires

Product benefits

- High luminous efficacy

Product features

- Service lifetime: 3 years (at approx. 11 h/day)
- Average lifetime: up to 20,000 h



Product family datasheet

Technical data

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321337986	NAV-T 50 W E27	Shipping carton box 12	225 mm x 221 mm x 187 mm	9.30 dm ³	1025.00 g
4050300255590	NAV-T 70 W E27	Shipping carton box 12	219 mm x 220 mm x 185 mm	8.91 dm ³	997.33 g
4008321087287	NAV-T 100 W E40	Shipping carton box 12	277 mm x 279 mm x 221 mm	17.08 dm ³	2262.00 g
4050300251417	NAV-T 1000 W E40	Shipping carton box 12	380 mm x 405 mm x 284 mm	43.71 dm ³	4477.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM GMBH is distribution partner
of LEDVANCE for Digital Lighting
Systems and Components

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany