



# CorePro LEDcapsule MV

## CorePro LEDcapsuleMV 2.3-25W G9 827 D

The LEDspecialty products deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

### Product data


|                                       |                     |                                 |                 |
|---------------------------------------|---------------------|---------------------------------|-----------------|
| <b>General Information</b>            |                     |                                 |                 |
| Cap-Base                              | G9 [ G9]            | Lamp Current (Nom)              | 15 mA           |
| Bulb Shape                            | Capsule             | Wattage Equivalent              | 25 W            |
| Nominal Lifetime (Nom)                | 15000 h             | Starting Time (Nom)             | 0.5 s           |
| Switching Cycle                       | 50000X              | Warm Up Time To 60% Light (Nom) | 0.5 s           |
| Technical Type                        | 2.3-25W             | Power Factor (Nom)              | 0.7             |
|                                       |                     | Voltage (Nom)                   | 220-240 V       |
| <b>Light Technical</b>                |                     | <b>Temperature</b>              |                 |
| Color Code                            | 827 [ CCT of 2700K] | T-Case Maximum (Nom)            | 82 °C           |
| Luminous Flux (Nom)                   | 215 lm              | <b>Controls and Dimming</b>     |                 |
| Luminous Flux (Rated) (Nom)           | 215 lm              | Dimmable                        | Yes             |
| Color Designation                     | Warm White (WW)     | <b>Approval and Application</b> |                 |
| Correlated Color Temperature (Nom)    | 2700 K              | Energy Saving Product           | Yes             |
| Luminous Efficacy (rated) (Nom)       | 93.48 lm/W          | Suitable For Accent Lighting    | No              |
| Color Consistency                     | <6                  | Energy Efficiency Label (EEL)   | A++             |
| Color Rendering Index (Nom)           | 80                  | Energy Consumption kWh/1000 h   | 3 kWh           |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %                | <b>Product Data</b>             |                 |
| <b>Operating and Electrical</b>       |                     | Full product code               | 871869657869800 |
| Input Frequency                       | 50 to 60 Hz         |                                 |                 |
| Power (Rated) (Nom)                   | 2.3 W               |                                 |                 |

CorePro LEDcapsule MV

|                                 |                                       |
|---------------------------------|---------------------------------------|
| Order product name              | CorePro LEDcapsuleMV 2.3-25W G9 827 D |
| EAN/UPC - Product               | 8718696578698                         |
| Order code                      | 929001232002                          |
| Numerator - Quantity Per Pack   | 1                                     |
| Numerator - Packs per outer box | 12                                    |

|                     |              |
|---------------------|--------------|
| Material Nr. (12NC) | 929001232002 |
| Net Weight (Piece)  | 0.012 kg     |

Dimensional drawing



|         |   |   |
|---------|---|---|
| Product | D | C |
|---------|---|---|

Capsule 230V 2.3W-25W 210lm 2700K G9 D

### Photometric data

## General Uniform Lighting

